

22CE006 Tilting TV Pole Mount - Parts List




ITEM	PART NAME	DESIGNATION	QTY
1	TV mounting head, tilt and swivel, VESA 200 x 200	22HE001	1

22CE006 Supplement: Ceiling Plates (choose ONE)


Flat Ceiling (11CP005)




Angled Ceiling (11CP006)



Unistrut Adapter (11UN001)




11CP001





ITEM	PART NAME	DESIGNATION	QTY
Flat Ceiling (11CP005)			
1	Flat ceiling plate with pole socket (socket bolted on)	11CP005	1
2	Concrete anchor M12 x 50 (concrete ceilings)	incl. in 11CP005	6
3	Set screw M6 x 8 (pole socket)	incl. in 11CP005	1
4	Hex wrench, 3 mm (for the M6 set screw)	incl. in 11CP005	1
Angled Ceiling (11CP006)			
1	Angled ceiling plate with pole socket (pivot and socket hardware fitted)	11CP006	1
2	Concrete anchor M12 x 50 (concrete ceilings)	incl. in 11CP006	6
3	Set screw M6 x 8 (pole socket)	incl. in 11CP006	1
4	Hex wrench, 3 mm (for the M6 set screw)	incl. in 11CP006	1
Unistrut Adapter (11UN001)			
1	Unistrut adapter (plate with welded pipe socket)	11UN001	1
2	Channel nut, 3/8-16 tapped (fits inside the strut)	incl. in 11UN001	1
3	Hex bolt 3/8-16 x 3/4	HW-0123	2
4	Set screw 1/4-20 x 3/8	HW-0107	1
5	Hex wrench, 1/8 inch (for the set screw)	HW-0095	1
11CP001			
1	Square ceiling plate with welded pipe socket	11CP001	1
11CP001: the plate's 1/4-20 set screw is optional and not included.			

22CE006 Supplement: Drop Length Options


(c) Adjustable extension pipe, 12 to 20 in (EXT-1220), shown extended










or (c) Adjustable extension pipe, 20 to 36 in (EXT2036), shown extended









(d) Pipe coupler + fixed-length pipe: the three longest options









ITEM	PART NAME	DESIGNATION	QTY
(c) Adjustable extension pipe, 12 to 20 in (EXT-1220)			
1	Adjustable extension pipe, 12 to 20 in	EXT-1220	1
2	Hex bolt 5/16-18 x 2-1/4	incl. in EXT-1220	1
3	Nylon locking nut 5/16-18	incl. in EXT-1220	1
EXT-1220: the 20 to 28 Inches option.			
or (c) Adjustable extension pipe, 20 to 36 in (EXT2036)			
1	Adjustable extension pipe, 20 to 36 in	EXT2036	1
2	Hex bolt 5/16-18 x 2-1/4	incl. in EXT2036	1
3	Nylon locking nut 5/16-18	incl. in EXT2036	1
EXT2036: the 28 to 44 inches option, and with (d) the three longest options.			
(d) Pipe coupler + fixed-length pipe: the three longest options			
1	Pipe coupling, 1-1/2 in NPT	11AC001	1
2	Set screw M6 x 8, cup point (coupler)	incl. in 11AC001	2
3	Hex wrench, 3 mm (for the coupler set screws)	incl. in 11AC001	1
4	Fixed-length pipe, 1-1/2 in NPT - 10 in (28 to 54) / 20 in (48 to 64) / 30 in (58 to 74)	112-NPT-PIPE-10 / NPT20 / NPT30	1
(d) ships with the EXT2036 kit of (c).			
(e) No Mast			
With "No Mast", no pipe ships: the box holds the plate group of (a) only.			