

33CE008 Flat Ceiling TV Mount - Parts List




ITEM	PART NAME	DESIGNATION	QTY
1	Hardware pack (M-A to M-G)		1
2	Wall plate		1
3	NPT adapter	PP-0001	1
4	Plastic alignment washer	FB-0007	2
5	Hex bolt 5/16-18 x 3/4	HW-0001	2
6	Nylon locking nut 5/16-18	HW-0002	2
7	Pipe socket collar	PP-0002	1
8	Set screw 1/4-20 x 3/8	HW-0107	2
9	Hex wrench, 1/8 inch (for the set screws)	HW-0095	1
10	Lock bar		1
11	TV tilt rail assembly, left		1
12	TV tilt rail assembly, right		1
13	Hex wrench, 5 mm (for the leveling screws)		1

33CE008 Supplement: Ceiling Plates (choose ONE)


Flat Ceiling




11CP001




Angled Ceiling



Unistrut




Beam Clamp (11BC001)




ITEM	PART NAME	DESIGNATION	QTY
Flat Ceiling			
1	Flat ceiling plate with pole socket (socket bolted on)	11CP005	1
2	Concrete anchor M12 x 50 (concrete ceilings)	incl. in 11CP005	6
3	Set screw M6 x 8 (pole socket)	incl. in 11CP005	1
4	Hex wrench, 3 mm (for the M6 set screw)	incl. in 11CP005	1
11CP001			
1	Square ceiling plate with welded pipe socket	11CP001	1
11CP001: uses the second set screw 1/4-20 x 3/8 from the head box.			
Angled Ceiling			
1	Angled ceiling adapter (hinge and lock hardware fitted)	ANGLE-CEILING	1
2	Lag bolt ST6.3 x 63	incl. in ANGLE-CEILING	3
3	Set screw M5 x 5	incl. in ANGLE-CEILING	1
4	Hex wrench, 2.5 mm (for the M5 set screw)	incl. in ANGLE-CEILING	1
Unistrut			
1	Unistrut adapter (plate with welded pipe socket)	11UN001	1
2	Channel nut, 3/8-16 tapped (fits inside the strut)	incl. in 11UN001	1
3	Hex bolt 3/8-16 x 3/4	HW-0123	2
4	Set screw 1/4-20 x 3/8	HW-0107	1
5	Hex wrench, 1/8 inch (for the set screw)	HW-0095	1
Beam Clamp (beam clamp, 11BC001)			
1	Strut channel 1-5/8 x 1-5/8 x 18 in	PL-0023	1
2	Beam clamp (U-bolt beam clamp, with its nuts)	PL-0022	2
3	Unistrut adapter (plate with welded pipe socket)	11UN001	1
4	Channel nut, 3/8-16 tapped	incl. in 11UN001	1
5	Hex bolt 3/8-16 x 3/4	HW-0123 (incl. in 11UN001)	2
6	Set screw 1/4-20 x 3/8	HW-0107 (incl. in 11UN001)	1
7	Hex wrench, 1/8 inch (for the set screw)	HW-0095 (incl. in 11UN001)	1

33CE008 Supplement: Drop Pipe and Coupler


(b) Adjustable extension pipe, 20 to 36 in (EXT2036), shown extended




or (b) Adjustable extension pipe, 12 to 20 in (EXT-1220), shown extended



(c) Fixed-length pipe (extends the pipe of (b) through the coupler of (d))



(d) Pipe coupler (joins the fixed pipe of (c) to the pipe of (b))



ITEM	PART NAME	DESIGNATION	QTY
(b) Adjustable extension pipe, 20 to 36 in (EXT2036)			
1	Adjustable extension pipe, 20 to 36 in	EXT2036	1
2	Hex bolt 5/16-18 x 2-1/4	incl. in EXT2036	1
3	Nylon locking nut 5/16-18	incl. in EXT2036	1
or (b) Adjustable extension pipe, 12 to 20 in (EXT-1220)			
1	Adjustable extension pipe, 12 to 20 in	EXT-1220	1
2	Hex bolt 5/16-18 x 2-1/4	incl. in EXT-1220	1
3	Nylon locking nut 5/16-18	incl. in EXT-1220	1
(c) Fixed-length pipe (extends the pipe of (b) through the coupler of (d))			
1	Fixed-length pipe, 1-1/2 in NPT - 10 in / 20 in / 30 in	112-NPT-PIPE-10 / NPT20 / NPT30	1
(d) Pipe coupler (joins the fixed pipe of (c) to the pipe of (b))			
1	Pipe coupling, 1-1/2 in NPT	11AC001	1
2	Set screw M6 x 8, cup point (coupler)	incl. in 11AC001	2
3	Hex wrench, 3 mm (for the coupler set screws)	incl. in 11AC001	1