




33DW004 Double-Wide TV Ceiling Mount - Parts List



ITEM	PART NAME	DESIGNATION	QTY
1	TV screw kit	HW-0100	2
2	Wall plate, double-wide	FB-0003	1
3	NPT adapter	PP-0001	1
4	Hex bolt 5/16-18 x 3/4	HW-0001	6
5	Nylon locking nut 5/16-18	HW-0002	6
6	Pipe socket collar	PP-0002	1
7	Set screw 1/4-20 x 3/8	HW-0107	2
8	Hex wrench, 1/8 inch (for the set screws)	HW-0095	1
9	TV tilt rail assembly, left	incl. in FB-0003	2
10	TV tilt rail assembly, right	incl. in FB-0003	2

33DW004 Supplement: Ceiling Plates (choose ONE)






ITEM	PART NAME	DESIGNATION	QTY
Flat Ceiling (11CP001)			
1	Square ceiling plate with welded pipe socket	11CP001	1
Flat Ceiling: uses the second set screw 1/4-20 x 3/8 from the head box.			
Angled Ceiling			
1	Angled ceiling adapter (hinge and lock hardware fitted)	ANGLE-CEILING	1
2	Lag bolt ST6.3 x 63	incl. in ANGLE-CEILING	3
3	Set screw M5 x 5	incl. in ANGLE-CEILING	1
4	Hex wrench, 2.5 mm (for the M5 set screw)	incl. in ANGLE-CEILING	1
Unistrut			
1	Unistrut adapter (plate with welded pipe socket)	11UN001	1
2	Channel nut, 3/8-16 tapped (fits inside the strut)	incl. in 11UN001	1
3	Hex bolt 3/8-16 x 3/4	HW-0123	2
4	Set screw 1/4-20 x 3/8	HW-0107	1
5	Hex wrench, 1/8 inch (for the set screw)	HW-0095	1

33DW004 Supplement: Drop Length Options




(b) Fixed-length pipe: the "22 Inches" option





(c) Adjustable extension pipe, 20 to 36 in (EXT2036), shown extended



or (c) Adjustable extension pipe, 12 to 20 in (EXT-1220), shown extended



(d) Pipe coupler + extra pipe: the 18 to 44, 38 to 54 and 48 to 64 options



ITEM	PART NAME	DESIGNATION	QTY
(b) Fixed-length pipe: the "22 Inches" option			
1	Fixed-length pipe, 1-1/2 in NPT, 24 in	NPT24	1
(c) Adjustable extension pipe, 20 to 36 in (EXT2036)			
1	Adjustable extension pipe, 20 to 36 in	EXT2036	1
2	Hex bolt 5/16-18 x 2-1/4	incl. in EXT2036	1
3	Nylon locking nut 5/16-18	incl. in EXT2036	1
or (c) Adjustable extension pipe, 12 to 20 in (EXT-1220)			
1	Adjustable extension pipe, 12 to 20 in	EXT-1220	1
2	Hex bolt 5/16-18 x 2-1/4	incl. in EXT-1220	1
3	Nylon locking nut 5/16-18	incl. in EXT-1220	1
(d) Pipe coupler + extra pipe: the 18 to 44, 38 to 54 and 48 to 64 options			
1	Pipe coupling, 1-1/2 in NPT	11AC001	1
2	Set screw M6 x 8, cup point (coupler)	incl. in 11AC001	2
3	Hex wrench, 3 mm (for the coupler set screws)	incl. in 11AC001	1
4	Fixed-length pipe, 1-1/2 in NPT - 10 in (18 to 44) / 20 in (38 to 54) / 30 in (48 to 64)	112-NPT-PIPE-10 / NPT20 / NPT30	1
(d) ships with the EXT2036 kit of (c).			
(e) No Mast			
No Mast: ships the ceiling plate group of (a) only (no pipe, no coupler).			